

**BRUKSANVISNING
INSTRUCTION MANUAL**

LED STRIP & TILBEHØR

LED STRIP 24V 5m 2700K IP20

namron


Art nr.: 3234680



Spenning:	24V	Voltage:	24V
Effekt:	13,96W/m	Power:	13.96W/m
Antall LED pr meter:	140	Total LED per meter:	140
Lysstyrke:	1570lm/m	Lumen:	1570lm/m
Tetthetsgrad:	IP20	IP:	IP20
CRI:	80	CRI:	80
Fargetemperatur:	2700K	Color temperature:	2700K
Lysspredning:	120°	Beam angle:	120°
Kuttlengde:	50mm	Cut length:	50mm
Maks. lengde:	7m	Max. length:	7m
Dimbar:	Ja	Dimmable:	Yes
Levetid:	50.000timer L80	Lifetime:	50.000timer L80

LED Strip 24V 5m / LED Strip 24V 5m

Art nr.: 3234680



Tilbehør inkludert i pakken, kan også kjøpe separat. / Accessory include in the package, may purchase separately also.

Art nr.: 3234679

2stk Ekstra hurtigtilkoblinger med 30cm kabel /
2pcs Strip to wire connector with 30cm cable



2stk Hurtigskjøter / 2pcs Fast connector



2stk Hurtigskjøter med 15cm kabel /
2pcs Strip to strip connector with 15cm cable



LED STRIP 24V 5m RGBW IP20

namron


Art nr.: 3234681



Spenning:	24V	Voltage:	24V
Effekt:	16,32 W/m	Power:	16.32 W/m
Antall LED pr meter:	60	Total LED per meter:	60
Lysstyrke:	570lm/m	Lumen:	570lm/m
Tetthetsgrad:	IP20	IP:	IP20
CRI:	80	CRI:	80
Fargetemperatur:	RGBW	Color temperature:	RGBW
Lysspredning:	120°	Beam angle:	120°
Kuttlengde:	100mm	Cut length:	100mm
Maks. lengde:	6m	Max. length:	6m
Levetid:	50.000timer L80	Lifetime:	50,000hours L80

LED Strip 24V 5m / LED Strip 24V 5m

Art nr.: 3234681



Tilbehør inkludert i pakken, kan også kjøpe separat. / Accessory include in the package, may purchase separately also.

Art nr.: 3234695

2stk Ekstra hurtigtilkoblinger med 30cm kabel/
2pcs Strip to wire connector with 30cm cable

2stk Hurtigskjøter / 2pcs Fast connector



2stk Hurtigskjøter med 15cm kabel/
2pcs Strip to strip wire connector with 15cm cable



LED STRIP 24V 5m 2700K IP67

Art nr.: 3234682


namron



Spenning:	24V	Voltage:	24V
Effekt:	13,96 W/m	Power:	13.96 W/m
Antall LED pr meter:	140	Total LED per meter:	140
Lysstyrke:	1478lm/m	Lumen:	1478lm/m
Tetthetsgrad:	IP67	IP:	IP67
CRI:	80	CRI:	80
Fargetemperatur:	2700K	Color temperature:	2700K
Lysspredning:	120°	Beam angle:	120°
Kuttlengde:	50mm	Cut length:	50mm
Maks. lengde:	7m	Max. length:	7m
Dimbar:	Ja	Dimmable:	Yes
Levetid:	50.000timer L80	Lifetime:	50,000hours L80

LED Strip 24V 5m / LED Strip 24V 5m

Art nr.: 3234682



Tilbehør inkludert i pakken, kan også kjøpe separat. / Accessory include in the package, may purchase separately also.

Art nr.: 3234696

2stk Ekstra hurtigtilkoblinger med 30cm kabel /
2pcs Strip to wire connector with 30cm cable



2stk Hurtigskjøter med 15cm kabel /
2pcs Strip to strip connector with 15cm cable



2stk Hurtigskjøter / 2pcs Fast connector



2stk Endelokk / 2pcs End cap



1stk Silikon lim / 1pcs Silicone glue



2stk Frontlokk / 2pcs Front cap



LED STRIP 24V 5m RGBW IP65

Art nr.: 3234683


namron



Spenning:	24V	Voltage:	24V
Effekt:	16,32 W/m	Power:	16.32 W/m
Antall LED pr meter:	60	Total LED per meter:	60
Lysstyrke:	542lm/m	Lumen:	542lm/m
Tetthetsgrad:	IP65	IP:	IP65
CRI:	80	CRI:	80
Fargetemperatur:	RGBW	Color temperature:	RGBW
Lysspredning:	120°	Beam angle:	120°
Kuttlengde:	100mm	Cut length:	100mm
Maks. lengde:	6m	Max. length:	6m
Levetid:	50.000timer L80	Lifetime:	50,000hours L80

LED Strip 24V 5m / LED Strip 24V 5m

Art nr.: 3234683



Tilbehør inkludert i pakken./Accessory include in the package.

10stk Monteringsklemmer / 10pcs Mounting clip and screw

20stk Skruer / 20pcs Screw

2stk Endelokk / 2pcs End cap

1stk Kabel 30cm / 1pcs Cable 30cm



LED STRIP 24V 5m WARMDIM 1800-3000K

namron


Art nr.: 3222240



Spenning:	24V	Voltage:	24V
Effekt:	9,16W/m	Power:	9.16 W/m
Antall LED pr meter:	120	Total LED per meter:	120
Lysstyrke:	720lm/m	Lumen:	720lm/m
Tetthetsgrad:	IP20	IP:	IP20
CRI:	90	CRI:	90
Fargetemperatur:	1800-3000K	Color temperature:	1800-3000K
Lysspredning:	120°	Beam angle:	120°
Kuttlengde:	83mm	Cut length:	83mm
Maks. lengde:	5m	Max. length:	5m
Dimbar:	Ja	Dimmable:	Yes
Levetid:	50.000 timer L80	Lifetime:	50,000 hours L80

LED Strip 24V 5m warmdim / LED Strip 24V 5m warmdim

Art nr.: 3222240



Tilbehør inkludert i pakken, kan også kjøpe separat. / Accessory include in the package, may purchase separately also.

Art nr.: 3222239

2 stk Ekstra hurtigtilkoblinger med 30cm kabel /
2pcs Strip to wire connector with 30cm cable



2 stk Hurtigskjøter med 15cm kabel /
2pcs Strip to strip wire connector with 15cm cable



2stk Hurtigskjøter / 2pcs Fast connector



LED STRIP 24V 20m 2700K IP20

namron


Art nr.: 3222241



Spenning:	24V	Voltage:	24V
Effekt:	4,38W/m	Power:	4.38W/m
Antall LED pr meter:	60	Total LED per meter:	60
Lysstyrke:	392lm/m	Lumen:	392lm/m
Tetthetsgrad:	IP20	IP:	IP20
CRI:	90	CRI:	90
Fargetemperatur:	2700K	Color temperature:	2700K
Lysspredning:	120°	Beam angle:	120°
Kuttlengde:	100mm	Cut length:	100mm
Maks. lengde:	25m	Max. length:	25m
Dimbar:	Ja	Dimmable:	Yes
Levetid:	50.000timer L80	Lifetime:	50,000hours L80

LED Strip 24V 20m /LED Strip 24V 20m

Art nr.: 3222241



Tilbehør inkludert i pakken, kan også kjøpe separat. / Accessory include in the package, may purchase separately also.

Art nr.: 3222239

2stk Ekstra hurtigtilkoblinger med 30cm kabel /
2pcs Strip to wire connector with 30cm cable



2stk Hurtigskjøter med 15cm kabel /
2pcs Strip to strip wire connector with 15cm cable



2stk Hurtigskjøter / 2pcs Fast connector



LED STRIP 24V 20m 2700K IP67

namron


Art nr.: 3222242



Spenning:	24V	Voltage:	24V
Effekt:	4,38W/m	Power:	4.38W/m
Antall LED pr meter:	60	Total LED per meter:	60
Lysstyrke:	436lm/m	Lumen:	436lm/m
Tetthetsgrad:	IP67	IP:	IP67
CRI:	80	CRI:	80
Fargetemperatur:	2700K	Color temperature:	2700K
Lysspredning:	120°	Beam angle:	120°
Kuttlengde:	100mm	Cut length:	100mm
Maks. lengde:	25m	Max. length:	25m
Dimbar:	Ja	Dimmable:	Yes
Levetid:	50.000timer L80	Lifetime:	50,000hours L80

LED Strip 24V 20m /LED Strip 24V 20m

Art nr.: 3222242



Tilbehør inkludert i pakken, kan også kjøpe separat. / Accessory include in the package, may purchase separately also.

Art nr.: 3222238

2stk Ekstra hurtigtilkoblinger med 30cm kabel /
2pcs Strip to wire connector with 30cm cable



2stk Hurtigskjøter med 15cm kabel/
2pcs Strip to strip with wire connector with 15cm cable



2stk Hurtigskjøter / 2pcs Fast connector



4stk Endelokk / 4pcs End cap



1stk Silikon lim / 1pcs Silicon glue



40stk Monteringsklemmer / 40pcs mounting clips



4stk Frontlokk / 4pcs Front cap



*Anbefalt LED Strip / Recommended LED strip

3234685/3220204/3220205

***3234680/3234681/3234682/**

3234583/3222240/3222241/3222242/

Aluminiumsprofil med opal avdekning utenpåliggende 2m 2114 / Aluminum profile with opal cover surface mounted 2m 2114
Inkludert 2stk endelokk & 4 stk stål fester / Include 2pcs end cap & 4pcs steel clip



3234686/3220206/3220207

***3234680/3234682/3222240/**

3222241

Aluminiumsprofil med opal avdekning utenpåliggende 2m 1612 / Aluminum profile with opal cover surface mounted 2m 1612
Inkludert 2stk endelokk & 4 stk stål fester / Include 2pcs end cap & 4pcs steel clip



3234687/3220208/3220209

***3234680/3234681/3234682/3222240/**

3222241/3222242

Aluminiumsprofil med opal avdekning utenpåliggende 2m 1714 / Aluminum profile with opal cover surface mounted 2m 1714
Inkludert 2stk endelokk & 4 stk plast fester / Include 2pcs end cap & 4pcs plastic clip



3234688

***3234680/3222240/**

3222241

Aluminiumsprofil med opal avdekning hjørne 2m 1919 / Aluminum profile with opal cover corner 2m 1919
Inkludert 2stk endelokk / 4 stk stål fester / Include 2pcs end cap & 4pcs steel clip



3220210

***3234680/3222240/3222241**

Aluminiumsprofil hjørne 2m 1616 / Aluminium profile corner 2m 1616
Inkludert 2stk endelokk & 2stk plast fester / Include 2pcs end cap / 2pcs plastic clip



3234689/3220211

***3234680/3234681/3234682/3222240/**

3222241/3222242

Aluminiumsprofil med opal avdekning innfelt 2m 2811 / Aluminum profile with opal cover recessed 2m 2811
Inkludert 2stk endelokk / Include 2pcs end cap




*Anbefalt LED Strip / Recommended LED strip

3234698/3220212

***3234680 / 3222240**


Aluminiumsprofil for innsparkling 2m 5712/Aluminum profile recessed for plastering 2m 5712
Inkludert 2stk endelokk / Include 2pcs end cap



3220213

***3234680/3234681/3234682/3222240/ 3222241/3222242**

Aluminiumsprofil vegg 2m 4217/ Aluminium profile wall 2m 4217
Inkludert 2stk endlokk/ Include 2pcs end cap



*Anbefalt LED Strip / Recommended LED strip

6603260

***3222240/3222241/3234680/3234681**

Driver dimbar LED strip 24V 100W IP20 /
Dimmable driver for LED strip 24V 100W IP20



6603261

***3222242/3234682/3234683/3234684**

Driver dimbar LED strip 24V 100W IP66 /
Dimmable driver for LED strip 24V 100W IP66



6603265

***3234681 / 3234683**

RGBW controller 480W 24V / RGBW controller 480W 24V



*Anbefalt LED Strip / Recommended LED strip

4512701

***3234681 / 3234683**

ZigBee 5 kanaler LED kontrollør / Zigbee 5 channel LED controller



4512708

***3222240/3222241/3222242/ 3234680/3234682**

Zigbee 1 kanal LED kontrollør / Zigbee 1 channel LED controller



4512743

***3222240/3222241/3222242/ 3234680/3234682**

Z-Wave 1kanal LED kontrollør / Z-wave 1 channel LED controller



4512706

***3234681 / 3234683**

ZigBee RGB fjernkontroll / Zigbee RGB remote control



4512705

***3222240/3222241/3222242/ 3234680/3234682**

Zigbee 4 kanaler fjernkontroll



4512711

***3222240/3222241/3222242/ 3234680/3234682**

Z-wave 4 kanaler fjernkontroll



namron

the smarter choice

Namron AS
Nedre kalbakkvei 88B
1081 Oslo Norway